

[1] **M. Ikeda, I. Ishikawa & Y. Sawano**, Composition operators on reproducing kernel Hilbert spaces with analytic positive-definite functions, **J. Math. Anal. Appl.**, (2022), **511**, 126048.

[2] Y. Hashimoto, **I. Ishikawa, M. Ikeda, F. Komura, T. Katsura & Y. Kawahara**, Reproducing kernel Hilbert C*-modules and kernel mean embeddings, **J. Mach. Learn Res.**, (2021), **22**, 1–56.

[3] Y. Takai, A. Miyauchi, **M. Ikeda** & Y. Yoshida, Hypergraph Clustering Based on PageRank, 26nd ACM SIGKDD Conference on Knowledge Discovery and Data mining (**KDD**), 2020, 1970–1978,

参考文献

[4] **I. Ishikawa, K. Fujii, M. Ikeda**, Y. Hashimoto & Y. Kawahara, Metric on nonlinear dynamical systems with Perron-Frobenius operators, **Proc. of NeurIPS** 2018.

[5] Y. Hashimoto, **I. Ishikawa, M. Ikeda**, Y. Matsuo & Y. Kawahara, Krylov subspace method for nonlinear dynamical systems with random noises, **J. Mach. Learn Res.**, (2020), **21**, 1–29.

[6] **M. Ikeda**, A. Miyauchi, Y. Takai & Y. Yoshida. Finding Cheeger cuts on hypergraphs via heat, arXiv:1809.04396.